








Iocal:/C:/Documents and Settings/Owner// Properties	Documents/ATM.cte	
Standard TCSpecification	АТМ	
ID = 2816 Layout	Acot Status Balance Invalid Amt Invalid Pil	v]
ATM Withdrawal		
	Senior Premier Open Closed Positive Negative Zero Yes No Yes M	40
Text		
< >		
		2
ATM Withdrawal		
ATM Withdrawal		
🗑 🗂 ATM Withdrawal 🗄 🗂 pairs		
🗄 🗂 pair2		









Testersdesk.com	
Pairwise TestCase Generator	Tool information
The essence of genius is to know what to overlook. William James Image: Comparison of the image of	Getting started Step 1: Read the Context of this tool (see below) Step 2: Provide your input (test parameters and their
Enter the test parameters with their values: Journey mode: Return tip; One way Preferred Ime: Monring, Alternoon, Envering, Late night Going to: Crype I Con, Yuge C(kry, Yuga C); Booking type: Economy, First dass Customer type: Registered, New Adults: 1, 2, 3, 4, 5, 6 Children: 0, 1, 2, 3, 4	values) in the below format Paramit-1, 23/34 Paramit-1, 2
Display results 🕒 Download results (CSV) 🕒 Reset/clear	
18	








Teste	rsdesk.com		
	Tool information	e	
	Getting started	C	
	Context of this tool	e	
	Input/Output constraints	E	
	Minimum Test Parameters:	2	
	Maximum Test Parameters:	20	
	Average number of values for all parameters tog cannot exceed 10	ether	
21			


	I possible Test Cor wise Test Combina			ow results in CSV for	mat 🖸 Show r	esults in XML format		
	Journey mode	Preferred time	Leaving from	Going to	Booking type	Customer type	Adults	Children
1	Return trip	Morning	Type1_City	Type1_City	Economy	Registered	1	0
2	One way	Afternoon	Type2_City	Type2_City	First class	New	1	1
3	Return trip	Evening	Type3_City	Type3_City	First class	Registered	1	2
4	One way	Late night	Type1_City	Type2_City	Economy	New	1	3
5	One way	Morning	Type2_City	Type3_City	Economy	Registered	1	4
6	One way	Afternoon	Type3_City	Type1_City	First class	New	2	0
7	Return trip	Evening	Type1_City	Type3_City	Economy	New	2	1
8	Return trip	Late night	Type2_City	Type1_City	First class	Registered	2	2
9	Return trip	Morning	Type3_City	Type2_City	First class	Registered	2	3
0	Return trip	Afternoon	Type1_City	Type1_City	First class	New	2	4
1	One way	Evening	Type2_City	Type2_City	Economy	Registered	3	0
2	Return trip	Late night	Type3_City	Type3_City	Economy	New	3	1
3	One way	Morning	Type1_City	Type1_City	Economy	New	3	2
4	any_value_of_Jour	Afternoon	Type2_City	Type3_City	First class	Registered	3	3
5	any_value_of_Jour	Evening	Type3_City	Type2_City	any_value_of_Bool	any_value_of_Cust	3	4
6	One way	Late night	Type1_City	Type3_City	Economy	Registered	4	0
7	Return trip	Morning	Type2_City	Type1_City	First class	New	4	1
8	any_value_of_Jour	Afternoon	Type3_City	Type2_City	Economy	any_value_of_Cust	4	2
9	any_value_of_Jour	Evening	any_value_of_Leav	Type1_City	any_value_of_Bool	any_value_of_Cust	4	3
0	any_value_of_Jour	Late night	any_value_of_Leav	any_value_of_Goin	any_value_of_Bool	any_value_of_Cust	4	4
1	One way	Morning	Type1_City	Type2_City	First class	Registered	5	0


















	am	ple Script (2)	
	50	Wait>0.45	
	51	LClick	
Object ——	52	WaitWindowOpen>Address Book Required	
Recognition	53	MoveWindow>Address Book Required,420,313	
Recognition	54	ResizeWindow>Address Book Required, 307, 124	
	55	Wait>0.06	
	56	MouseMove>576,409	
	57 58	Wait>2.12	
Duplicated	59	LClick	
Data	60	• WaitWindowOpen>Jimmy Olson	
Dala	61	MoveWindow>Jimmy Olson,246,95	
	62	ResizeWindow>Jimmy Olson,655,561 Wait>0.06	
	63		
	64	<pre>MouseMove>644,518 Wait>2.8</pre>	
	65	LClick	
	66	Wait>0.14	
	67	MouseMove>788,635	
	68	Wait>1.52	
	69	LClick	
	70	WaitWindowOpen>Kurlo	
	71	NoveWindow>Kurlo,-4,-4	
	72	ResizeWindow>Kurlo,1032,746	
	73	Vait>0.06	
9	74	NouseNove>929,750	

Sampl	е	Data-Driven Script
	4	//Specify the path of the file here
	5	Let>k=1
	6	Label>start
Test Data File —		ReadLn>c:\kurlo.txt,k,line
	1 E	∃ If>line=###EOF###,finish ← Loop
	9	
	10	SetFocus>Kurlo
	ш	MouseMove>69,7
	12	Wait>3
	13	LClick
	14	Press ALT
	15	Send>c
	16	Release ALT
	17	Wait>1.27
	18	Press Enter
	20	Wait>3.16
	20	Send>%line%
	22	Wait>1.33 Press Tab
	23	Wait>1.3
	24	Walt>1.3 Let>k=k+1
Read from file —		<pre>keadLn>c:\kurlo.txt,k,line</pre>
	26	Send>%line% Input to screen
30	27	Wait>0.49
50		












🔮 Seleniu	n IDE * 📃 🗆 🔀
File <u>E</u> dit	Options Help
Base URL	ttp://www.google.com/
💿 Run () Walk 🔿 Step 🕨 🔢 🔜 🕞
Editor Source	e
Command	Target Value
open	/
type	q selenium IDE rocks!
clickAndWa	it btnG
clickAndW	
clickAndW- assertText	
Command	assertTextPresent
Target	I think record playback is a wonderful thing Find
Value	
Log Cons	le Info 🗸 Clear












Cucumber Language Exam
Feature: Search courses In order to ensure better utilization of courses Potential students should be able to search for courses
Scenario: Search by topic Given there are 240 courses which do not have the topic "biology" And there are 2 courses A001, B205 that each have "biology" as one of the topic When I search for "biology" Then I should see the following courses: Course code A001 B205







Mini Test Plan Product Manager Greg «ghendricks@novell.com» v Tags cc List gebc [244]	Create regression test cases (2006-03-22 00:00	s@novell.com>	in History
TestProduct Manager Greg «ghendricks@novell.com» w Tags cc.ust	Status RUN Create regression test cases (sion Stop Date Default Tester JNNING <u>Greg «ghendricks</u>	s@novell.com>	in History
Manager Greg «ghendricks@novell.com» » Tags 00 List	RUN Create regression test cases (JNNING Greg «ghendricks		in History
Greg «ghendricks@novell.com» × Tags CC List	RUN Create regression test cases (JNNING Greg «ghendricks		in History
× Tags CC Uat	Create regression test cases (al and the second second second second		in History
CC List		<u>a Delete test run</u> Clone Test Run	Add Test Cases View Ru	in History
CC List				
			_	
	Case	e Run Status	Scott	
a@b.c Add ghendricks@novell.com	'Todo': Show todo'	a' test case logs	Scott	Add
e@b.c	Paused: Show paiss Failed: Show failed Total: Show all tes % Completed: 50	ed test case logs est case logs	<u>eee</u> (d <u>wert</u> (d	
	Basigned Tested by <u>@b.c</u> ghendricks@novell.com			C <u>r</u> Buga O
Action: TEXT		MORE TEXT		
A Running by me, starfed at				
1 56a a all Summary: FIVE Action: TEXT Notes:	Autoch Attach Attach Attach Belloc	Effect: MORE TEXT	Stotus Catego My Cat	




							Detai	- Lis
Ø		Project Name	<u>Release</u> <u>Tag</u>	Status	Scheduled Engineerin Release		Actual	
0	a,	starts 💌	starts 🗾	starts 🗾	-	_	-	-
	Г	IPG	v1-0-b1	Test Completed	6/8/07		7/8/07	
	Г	Reporting	v2-0-b9	Test in Progress				
	Г	Customer Care	v1-0-b23	Test Completed	1/8/08			
	Г	Data ware house	v1-0-b1	Testing is Blocked				
	Г	CDR phase 1	v1-0-b16	Test Completed				
	Г	CDR phase 1	v1-0-b14	Test Completed			4/5/08	
	Г	CDR phase 1	v1-0-b15	Test Completed			4/5/08	
		Customer Care	v1-0-b21	Test Completed	1/6/09		1/6/09	
	Г	CDR phase 2	v1-0-b4	Test in Progress			7/7/08	
		Bank Topup	v1-0-b16	Test Completed			4/5/07	
12 D	elete s	elected			There are 12	objets	in list (<u>Hide</u>	ther




		👌 театмыятея - Орель 7.4	<u>s</u>)					×
	E Ele	Edit View Navigation Bookmarks	Mail Mindow Help					×
	Rewins		Sacad Horne Hollas Ann Nam Mar Open	Print	Find Ti	le Cascade I	Fullecreen	
	🖗 bo							
			shdot: News for n TESTMASTER 🥥 SourceForge net H see hs/ogi-bin/testmanter/testmanter.og/?operation = RetrieveAIITest				Q 100%	
		C C Mprosperio minup		_	Cooperation of the second		4 100%	
			Admin Menu Testsuite Index Search Prefs	About				
-			wewed and amended from the P-SMS Client.					
		AcadPart N-002.01	Verify that the IN Prepay application on the SCP specifies the following pre-defined set of account partitions at the Service Provider and Product levels. Family & Finands, Bast Finands, and Ganarat account partitions are defined for Voice Tarlfs. Further confirm that the pre-defined account partitions have separate balances for Cff-Peak and Peak calls.	Hold	testmaster	22/84/2004	D	
		AcatPart N-002.02	Verify that the P-SMS specifies the following pre- defined set of account partitions at the Service Provider and Product levels. Family & Friends, Best Friends, and General Minutes. Confirm that each of these pre-defined account partitions are defined for Voise Tartiffs. Further confirm that thepre-defined account partitions have separate balances for Off- Peak and Peak calls.	Pass	apearson	15/01/2003	D	
		AcatPart N-003.01	Verify that up to 15 user-definable account partitions can be defined for a given ServiceProvider.	Pass	apearson	15/01/2003	٥	
		AcotPart N-003.02	Verify that when a Product is created, there are no user-definable account partitions defined for that Product.	Pass	apearson	15/01/2003	D	
		AcotPart N-003.03	Verify that a Maximum Balance for Peak and Off- Peak periods can be specified for each user- definable account partition.	Fail	testmaster	22/84/2004	1	
		AcotPart N-003.04	Verify that a user-definable account partition can be associated with the "Voice" TariffType.	Pass	apearson	15/01/2003	D	
		ActPart N-003.05	Verify that a user-definable account partition can be associated with the "Data" Tariff Type.	In Progress	testmaster	22/84/2004	D	
		AcotPart N-003.05	Verify that a user-definable account partition can be associated with the "SMS" Tariff Type.	Pass	apearson	16/01/2003	D	
		AcotPart N-003.07	Verify that a user-definable account partition can be associated with the "Application Event" Tariff Type.	Pending	testmaster	22/04/2004	D	
8		AcotPart N-003.08	Verify that a user-definable account partition must be associated with a Tariff Type.	Pass	apearson	16/01/2003	D	
	2	< index and inde	Verify that the user-definishe arrived ratifices are		aster@ukp NASTER - Op	8470: X bera 7.2:	Alan D PE	EARS








Control of the object of the object of the strates, so at all users have the privalegis to check at strates, but all control of the other at strates, but all control of the other at strates, but all control of the strates, but all control of the other at strates, but all control of the other at strates, but all control of the other at t
M Back Formed Formed <t< th=""></t<>
ady Pennand Akada Mon Maria Lawara Akada Mon Maria L
And that a lange. OWS & Standact News for It EXTRACTER SourceForge net HL. TESTRACTER User Menu Dept Admin Project Admin Testsuite Admin User Admin Reporting Admin About Testsuite Admin User Admin Reporting Admin About Add testcases exe currently 4 methods to add testcases to a testnate. Upload a CSV file of testcases Add testcases Add testcases Add testcases Add testcases Add testcases Add testcases Add testcases Add testcases Add testcases to a testnate Add testcases to a testnate Add testcases to a testnate Add testcases to a testnate designed of a template broked In By field should be used to choose who actually worte the testcase, as not all users have the privaledge to check in testcases, but all
Complete and the stream of the stream o
Complete and the stream of the stream o
User Menu Dept Admin Project Admin Testsuite Admin User Admin Reporting Admin About Testmaster Add testcases acc currently 4 methods to add testcases to a testmate. Upload a CSW file of tentores Upload a CSW file of tentores Add testcases Add angle tentore Add testcases back testcase back testcases back testcase
Add testcases • • • • • • • • • • • • • • • • • •
e are currently 4 methods to add testesses to a testmate. Upload a CSV file of testesses Upload a formatted world document of testesses Add a migle testesse Add testasses form an existing testswite designated as a template Checked In By field should be used to choose who actually wrote the testesse, as not all users have the privaledge to check in testesses, but all
Upland a CSV file of testenses Upland a formatted wood document of testenses Add a migle testense Add testowes from an existing testsnite designated as a template Checked In By field should be used to choose who actually wrote the testense, as not all users have the privaledge to check in testenses, but all
Upload a formatted word document of testoases Add a ningle testoase Add testoases from an existing testnaite designated as a template Thecked In By field should be used to choose who actually wrote the testcase, as not all users have the privaledge to check in testcases, but all
dmin will be able to choose from users in any department.
artaneat: IN Testing •
eet: Vanila_Card_Association •
suite: Regression •
eked In by: testmaster x
oad a CSV or MS word doc file
and a CSY or play word document in the correct format expected by testmaster.
ame: Choose Upload
la single testcase
easeid:
2G Call Forwarding 💌
ription:
Add textcase


(
🗅 Ele Edit Yiew Maxingaton Bootmarks Mail Window Help	×
Rwind Back Fanaed Fanaed Radad Hame Hotfat Word New Mail Open Save Pint Find The Cascade Fullscoven	
🕼 body 🌀 Google group: 🗅 Personal 🗅 Alcalel	
79 Yahoo! Mail - alandp. DVS 🔥 Slashdot. News for n. DTESTMASTER 🕹 SourceForge.net. H1 D TESTMASTER	
of 🕅 🛎 🖥 - 🛅 Http:Sukp8470 thirdepace tolestmaster/ 🔹 🙃 🖓 Google rearch 📼 🔍 100%	-
Admin Menu Testsuite Index Search Prefs About	
Testmaster	
9	1
2GCF.N-006.05	
/ in7 / 2G Call Forwarding / 2GCF.N-006.05 change	I.
Testcase:	
Confise that an ERD is produced if the satisg for a Call Processed A for the satisfy the satisfy the second for the satisfy the second for the satisfy the second for the satisfy the same same satisfy the same satisfy the same same same same satisfy the same same same same same same same sam	
Test Procedure:	
No one has uploaded the test procedure yet.	
Check in details:	
Checked in by apearson on 04/12/2002.	
References:	
This testcase is derived from requirement : 20CF.N-006.05.	
2	
1 2 🦉 testmaster@ukp8470;// 🕮 Alan D FEAR	501
















About Result type Country-sp Number of	pecific data:	Download Donate	sv 🔿 sql	Forums		
Country-sp	pecific data:	Canada 🗌 Netherlands 🗌 UK				
Country-sp	pecific data:	Canada 🗌 Netherlands 🗌 UK				
			: 🗹 us			
			00			
Number of	results: 1					
		10				
						_
	Column Title	Data Type	Examples		Options	Helj
1 Nam					aleName	0
2 Pho	ne	Phone/Fax			-Xxx-Xxx-xxxx	0
3 Cou	untry	Country	🖌 No examples available.		o options available.	
4 Dati	-	Date	/ Jan 1, 2006	Fr	rom: 06/05/2007 🛄 To: 06/05/2009 🛄	0
4 Dati	.0	l nare	Jan 1, 2000	F	ormat code: M j, Y	0


Fitzgerald		Country	Dat
	1-696-847-9724	Uzbekistan	Mar 22, 2009
Harrison	1-616-877-0863	Nigeria	Nov 12, 2007
Tiger	1-832-613-9835	Nepal	Aug 30, 2007
Raja	1-465-605-0566	Iran, Islamic Republic of	Dec 10, 2008
Gavin	1-442-189-9731	Estonia	Aug 5, 2008
Ivan	1-523-879-6151	Romania	Mar 9, 2009
Jonah	1-771-445-7800	Sweden	May 26, 2008
Sawyer	1-975-398-7400	Ecuador	Nov 14, 2008
Raymond	1-189-506-0741	Brunei Darussalam	Sep 26, 2008
Tate	1-797-795-5931	Estonia	Jan 19, 2008
Denton	1-907-919-7187	Poland	Jul 3, 2008
Steven	1-476-897-6663	Iran, Islamic Republic of	Oct 24, 2008
Lucian	1-906-318-5093	Belize	Sep 30, 2007
Bradley	1-382-169-9975	Saudi Arabia	Jul 12, 2007
Oren	1-444-188-6882	Brunei Darussalam	Aug 17, 2008
Yoshio	1-270-201-2305	Indonesia	Mar 21, 2009
Marvin	1-536-394-0384	Guadeloupe	Oct 6, 2008
Paul	1-305-227-1442	Moldova	Sep 27, 2007
Hu	1-487-531-1857	Christmas Island	Jan 16, 2009
Keegan	1-229-172-8024	Cayman Islands	Sep 9, 2008
Kareem	1-230-655-0948	Heard Island and Mcdonald Islands	Feb 21, 2008
Palmer	1-156-628-1401	Moldova	Mar 21, 2009
Perry	1-447-689-2022	Nepal	Dec 21, 2008
Preston	1-866-250-9555	Colombia	Mar 27, 2008
Tate	1-433-559-2830	Malawi	Jan 13, 2009
Cyrus	1-972-298-9756	Vanuatu	Mar 8, 2008
Benjamin	1-796-458-2926	Iceland	Jan 8, 2008
Phelan	1-666-961-2594	Singapore	Mar 3, 2008


Testersdesk.cor	n
Common Test Data Generators	
Clear data from all forms	s/fields
Language String Generator (UTF-8 encoded Unicode)	Simple String Generator (English/ASCII)
Language Select a language 💙 String length Quantity Generate language strings	Character type Select character type Y String length Quantity Generate simple strings
Custom Syntax String Generator	Duplicate String Generator
Syntax/format Provide syntax/format Quantity Generate syntax strings	Base string Provide string to duplicate Times to repeat Generate duplicate strings
Random Number Generator Image: Constraint of the second	Quantified String Generator Image: Constraint of the second sec



















😺 Bug 3 - New Bugzilla permissions rules not followed - Mozilla Firefox
Elle Edit View Go Bookmarks Iools Help
A set of the s
This is Bugzilla Bugzilla Bug 3 New Bugzila permissions rules not followed Last modified 2004-07-06 15:14
Search page Enter new bug
Bug#: <u>3</u> Hardware: All Reporter: <u>Sareh Rees</u>
Product: p4dti <u>OS</u> : FreeBSD <u>Add CC</u> :
Component: replicator Version: 2.1.2 CC:
Status: RESOLVED Priority: P2 -
Resolution: FIXED Severity: mejor
Assigned To: https://www.seamons.com
<u>U</u> RL:
Summary: New Bugzilla permissions rules not followed
4. In 2.16.5, the status can be set to anything by anybody if the 'everconfirmed' flag is set. In 2.17.7, this routime does not pay any
attention to the 'everconfirmed' flag.
Perforce replication:
Job: bug3 Server:perforce0:Perforce server on localhost:16666 Replicator ID:replicator0
Change Effect Date User Description
104593 closed 2004-07-06 (unknown) Rewrite can_change_field in dt_bugzilla.py to match
15:33:53 CheckCanChangeField in Bugzilla 2, 17.7. Conditionalize this code
on the Bugzilla version discovered by the bugzilla interface module.
Search page Enter new bug
Actions: New Search Find bug # Reports Requests New Account Log In


<u>S</u> ummary:	contains all of the words/strin	gs 🗘			Search
Classification:	Product:	Component:	Vers	sion:	Target:
Unclassified Client Software Components Server Software Client Support	addons.mozilla.org Image: Constraint of the second secon	*.mozilla.org API Accessibility Account Manager Add-ons	□ 0.1 □ 0.2 0.3 0.4 ∨ 0.5		0.007 0.008 0.009 0.010
A <u>C</u> omment:	contains the string	•			
The <u>U</u> RL:	contains all of the words/strin	gs 🗘			
<u>W</u> hiteboard:	contains all of the words/strin	gs 🗘			
<u>Keywords</u> :	contains all of the keywords	•			=
Any one of:	MOVED 	er P1 P2 P3 P4 P5 rcement V V	Hardware: QS: All DEC HP Macintosh PC SGI Sun Other ✓ G G Changes Hy bugs changed between:	B C C C C C C C C C C C C C C C C C C C	
the bug assig the reporter the QA conta a CC list men is commenter is c	the reporter act	t wh	and Now (YYYY-MM-DD or relative ere one or more of the foll [Bug creation] Alias Assignee CC list accessible?		
























File Edit View Favorites Tools Help	
😋 Back 🔻 📀 🕤 📓 🐔 🔎 Search 🐈 Favorites 🤣 🙆 - 🍑 🚳 - 🛄 🦓	
Address 🕘 http://validator.w3.org/checklink	🕑 ラ Go 🛛 Links 🎽 🍖
Check links and anchors in Web pages or full Web sites	
Enter the address (URL) of a document that you would like to check:	
Summary only	
 ☐ Hide redirects: O for directories only □ Don't send the <u>Accept-Language</u> header □ Don't send the <u>Referer</u> header □ Check linked documents recursively, recursion depth: 	
Hide <u>redirects</u> : ⊙ all ⊙ for directories only Don't send the <u>Accept-Language</u> header Don't send the <u>Referer</u> header	
 ☐ Hide redirects: O for directories only □ Don't send the <u>Accept-Language</u> header □ Don't send the <u>Referer</u> header □ Check linked documents recursively, recursion depth: 	



